

GPS EQUIPMENT AND SOFTWARE DATA BASE FOR THE DOD TEST RANGES

WHITE SANDS MISSILE RANGE KWAJALEIN MISSILE RANGE YUMA PROVING GROUND DUGWAY PROVING GROUND ABERDEEN TEST CENTER NATIONAL TRAINING CENTER

ATLANTIC FLEET WEAPONS TRAINING FACILITY
NAVAL AIR WARFARE CENTER WEAPONS DIVISON
NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION
NAVAL UNDERSEA WARFARE CENTER DIVISION, NEWPORT
PACIFIC MISSILE RANGE FACILITY
NAVAL UNDERSEA WARFARE CENTER DIVISION, KEYPORT

30TH SPACE WING
45TH SPACE WING
AIR FORCE FLIGHT TEST CENTER
AIR ARMAMENT CENTER
AIR WARFARE CENTER
ARNOLD ENGINEERING DEVELOPMENT CENTER
GOLDWATER RANGE
UTAH TEST AND TRAINING RANGE

DISTRIBUTION A: APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

DTIC QUALITY INSPECTED 4

19990913 055

Form Approved REPORT DOCUMENTATION PAGE OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1216 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED 1. AGENCY USE ONLY (Leave blank) **JULY 1999** 4. TITLE AND SUBTITLE 5. FUNDING NUMBERS GPS Equipment and Software Data Base for the DOD Test Ranges 6. AUTHOR(S) 8. PERFORMING ORGANIZATION 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Electronic Trajectory Measurements Group Range Commanders Council REPORT NUMBER RCC Document 259-99 White Sands Missile Range, NM 88002-5110 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY REPORT NUMBER Range Commanders Council STEWS-TD-RCC same as block 8 White Sands Missile Range, NM 88002-5110 11. SUPPLEMENTARY NOTES New document. 12b. DISTRIBUTION CODE 12a. DISTRIBUTION / AVAILABILITY STATEMENT DISTRIBUTION A: Approved for Public Release; Distribution is Unlimited 13. ABSTRACT (Maximum 200 words) The information provided in this document is to be used as a guide only. It is recommended that each range be contacted individually about their resources on hand if there are any questions relating to the listed assets. 15. NUMBER OF PAGES 14. SUBJECT TERMS GPS equipment and software 16. PRICE CODE

SECURITY CLASSIFICATION

unclassified

OF ABSTRACT

SECURITY CLASSIFICATION OF THIS

unclassified

PAGE

OF REPORT

17. SECURITY CLASSIFICATION

unclassified

20. LIMITATION OF ABSTRACT

none

DOCUMENT 259-99

GPS EQUIPMENT AND SOFTWARE DATA BASE FOR THE DOD TEST RANGES

JULY 1999

Prepared by

ELECTRONIC TRAJECTORY MEASUREMENTS GROUP RANGE COMMANDERS COUNCIL

Published by

Secretariat
Range Commanders Council
U.S. Army White Sands Missile Range
New Mexico 88002-5110

TABLE OF CONTENTS

	Page
INTRODUCTION	. 1
GPS EQUIPMENT BY RANGE	. 3
AIR FORCE	_
30th Space Wing, Vandenberg AFB, CA	. 3
Air Warfare Center, Nellis AFB, NV	. 3
746 Test Squadron, Holloman AFB, NM	. 4
Air Force Flight Test Center, Edwards AFB, CA	
Air Armament Center, Eglin AFB, FL	. 0
Utah Test and Training Range, Hill AFB, UT	/
NAVY	_
Naval Air Warfare Center Weapons Division, China Lake, CA	8
Naval Undersea Warfare Center, AUTEC, West Palm Beach, FL	
Naval Air Warfare Center Weapons Division, Point Mugu, CA	
Naval Air Warfare Center Aircraft Division, Patuxent River, MD	12
ARMY	
Aberdeen Test Center, Aberdeen Proving Ground, MD	13
Electronic Proving Ground, Fort Huachuca, AZ	
TEXCOM TESA, Fort Hood, TX	
White Sands Missile Range, NM	16
Yuma Proving Ground, AZ	
Kwajalein Missile Range	21
·	22
RANGE SOFTWARE LISTING	23
Aberdeen Test Center, Aberdeen Proving Ground, MD	23
Air Armament Center, Eglin AFB, FL	23
Air Force Flight Test Center, Edwards AFB, CA	23
Naval Undersea Warfare Center, AUTEC, West Palm Beach, FL	23
Naval Air Warfare Center Weapons Division, China Lake, CA	
Naval Air Warfare Center Weapons Division, Point Mugu, CA	26
Naval Air Warfare Center Aircraft Division, Patuxent River, MD	27

INTRODUCTION

The information provided in this document is to be used as a guide only. It is recommended that each range be contacted individually about their resources on hand if there are any questions relating to their listed assets. It is more than likely that the resources identified here in this document have changed since its printing.

30th SPACE WING (30 SW) VANDENBERG AFB, CA

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	30th Space Wing		
SERVICE AFFILIATION:	Air Force		
RANGE ADDRESS:	Vandenberg AFB, CA		
RANGE POINT-OF-CONTACT (POC) NAME:			
POC PHONE NUMBER:			
POC FAX NUMBER:			
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INVENTORY HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY
	Austron	2200	4
	IEC	RR/PT	3
GPS/Timing Receiver	Kinemetrics	GPS-DC	20

AIR WARFARE CENTER (AWFC) NELLIS AFB, NV

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	Air Warfare Center		
SERVICE AFFILIATION:	Air Force		
RANGE ADDRESS:	Nellis AFB, NV		
RANGE POINT-OF-CONTACT (POC) NAME:			
POC PHONE NUMBER:			
POC FAX NUMBER:			
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INVENTORY		Sale Property	afat i filiti
HARDWARE EQUIPMENT (common name)	VENDOR ::	MODEL NUMBER	QUANTITY
Timing Receiver	Datum	9390	1
GPS/Timing Receiver	Kinemetrics	GPS-DC	1

746th TEST SQUADRON HOLLOMAN AFB, NM

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	Holloman AFB		
SERVICE AFFILIATION:	Air Force		
RANGE ADDRESS:	746th Test Squadron, Hollo	man AFB, NM	
RANGE POINT-OF-CONTACT (POC) NAME:	Archie Crawford		
POC PHONE NUMBER:	DSN: 349-1741 Comm:	(505) 679-1741	
POC FAX NUMBER:			
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INVENTORY			
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANI ITY
ARDS FRP Pod	Metric	AN/ARQ-52B(V)2	2
ARDS LRIP Plate	IEC	AN/ARQ-52(V)8	4

AIR FORCE FLIGHT TEST CENTER (AFFTC) EDWARDS AFB, CA

THE PROPERTY OF THE PARTY OF THE PROPERTY OF T			
RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	412TW/EWR Edwards AI	B	
SERVICE AFFILIATION:	Air Force		
RANGE ADDRESS:			
RANGE POINT-OF-CONTACT (POC) NAME:	Larry Trankovich		
POC PHONE NUMBER:	800-779-0526, ext: 56275	•	
POC FAX NUMBER:			
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INVENTORY	17 - 18 - 18 - 18 - 18 - 18 - 18 - 18 -	Carrell Carry Ar	
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY
ARDS LRIP Pod	IEC	AN/ARQ-52A(V)2	24
ARDS GNP Pod (upgrade to LRIP pods)	Metric	GNP	(24)

AFFTC (continued)

1		
FDWARDS AFR CA		
	ON FOWARDS AFR	CA 93524
	JI, ED 11/11(D) 111 D,	ON 75524
	20	
	.20	
powerit@tsi.edwards.ar.iiiii		
VENDOR	MODEL NUMBER	QUANTITY
IEC	AN/ARQ-52A(V)2	8
Metric	AN/ARQ-52B(V)2	
Metric	GNP	(4, FY97-98)
IEC	AN/ARQ-52(V)8	. 3
Metric	AN/ARQ-52B(V)8	(2, FY97-98)
Metric	GNP	0
Ashtech	ZY-12	(1, FY-97)
Ashtech	Z-12	2
Ashtech	ZY-12	(2, FY-97)
Allen Osborne Associates	SNR-12	1
Rockwell		2
Rockwell		7
		(2, FY-97)
NavSymm		(3, FY-97)
		(3, FY-97)
		3
		2
Metric		2
		1
Austron		3
Austron	1	8
Eagle	000-0094-37	1
	TERRY POWELL (805) 277-6120 / DSN 527-61 (805) 277-5377 powellt@tsr.edwards.af.mil VENDOR IEC Metric Metric IEC Metric Ashtech Ashtech Ashtech Allen Osborne Associates Rockwell Rockwell Rockwell NavSymm NavSymm NavSymm NavSymm Honeywell Metric CSC Austron	AIR FORCE 412 TW/TSRE, 306 E. POPSON, EDWARDS AFB, 6 TERRY POWELL (805) 277-6120 / DSN 527-6120 (805) 277-5377 powellt@tsr.edwards.af.mil VENDOR MODEL NUMBER IEC AN/ARQ-52A(V)2 Metric GNP IEC AN/ARQ-52B(V)2 Metric AN/ARQ-52(V)8 Metric AN/ARQ-52B(V)8 Metric GNP Ashtech AN/ARQ-52B(V)8 Metric GNP Ashtech ZY-12 Ashtech ZY-12 Ashtech ZY-12 Ashtech Rockwell R

AIR ARMAMENT CENTER (AAC) EGLIN AFB, FL

RANGE IDENTIFICATION DATA/INFORMAT	ION			
RANGE NAME:	AAC, Eglin AFB			
SERVICE AFFILIATION:	Air Force			
RANGE ADDRESS:		303 N. 7th St, Suite 109, I	Eglin AFB, FL	
	32542-5641			
RANGE POINT-OF-CONTACT (POC) NAME:	Raymond Sanders			
POC PHONE NUMBER:	(904) 882-2338 DSN: 8			
POC FAX NUMBER:	(904) 882-6509 DSN: 8	372-6509		
POC E-MAIL ADDRESS:	sandersw@eglin.af.mil			
RANGE GPS TSPI EQUIPMENT INVENTORY		125		
** HARDWARE EQUIPMENT (common name)		MODEL NUMBER		
MTACS-HDIS Pod (Short Shell)	IEC	LRIP	7	
MTACS FRP Pod	Metric	AN/ARQ-52B(V)2	7	
ARDS LRIP Plate	IEC	AN/ARQ-52(V)8	5	
ARDS FRP Plate	Metric	AN/ARQ-52B(V)8	1	
ARDS FRP Plate w/o DLT	Metric	FRP	2	
ARDS FRP DLT	Metric	FRP	11	
ARDS FRP DLGS	Metric	FRP	1	
ARDS FRP M/RGS (Rubidium)	Metric	FRP	2	
ARDS FRP M/RGS (standard)	Metric	FRP	7	
ARDS FRP HDIS Receiver	Metric	FRP	2	
ARDS FRP DLT AC/DC converter	Metric	FRP	4	
HDIS RR/P	IEC	AN/GRQ-28B	1	
ARDS-DRU	IEC	LRIP	4	
ARDS FRP IRU	Metric	FRP	2	
IDRU	IEC	LRIP	11	
3A	Collins	3A	3	
GPS Engine	Magnavox		18	
MX9112	Magnavox		2	
Turbo Engine	Magnavox		3	
CACR/SPC	NAVSTAR		1	
TNL 2000	Trimble	,	1	
5000 D	Magellan	5000 D	1	
GPS-40	Garmin		2	
DRB-100	Garmin		1	
CMC-1200	Canadian Marconi		5	

UTAH TEST AND TRAINING RANGE (UTTR) HILL AFB, UT

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	388 RS UTTR, HILI	AFB	
SERVICE AFFILIATION:	Air Force		
RANGE ADDRESS:	Hill AFB, UT		
RANGE POINT-OF-CONTACT (POC) NAME:	Dee Hildt		
POC PHONE NUMBER:	(801) 777-9552/4333		
POC FAX NUMBER:			
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INVENTORY	$\mathcal{F}_{\mathrm{cons}} = \{ \mathcal{F}_{\mathrm{cons}}^{\mathrm{cons}} : $		A SECTION OF THE SECT
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY
ARDS LRIP Pod	IEC	AN/ARQ-52A(V)2	1
ARDS FRP Pod	Metric	AN/ARQ-52B(V)2	4
ARDS FRP DLGS	Metric	FRP	1
ARDS LRIP DLC/P	IEC	LRIP	1
ARDS LRIP M/RGS (standard)	IEC	LRIP	5
ARDS FRP M/RGS (Rubidium)	Metric	FRP	2
ARDS LRIP RR/P	IEC	LRIP	1
ARDS FRP HDIS Receiver	Metric	FRP	1
ARDS FRP DLT	Metric	FRP	1
ARDS LRIP Control Display Unit (CDU)	IEC	HUNTER	1
ARDS FRP Control Display Unit (CDU)	Metric	FC486	3

NAVAL AIR WARFARE CENTER WEAPONS DIVISION (NAWCWD (CL)) CHINA LAKE, CA

RANGE IDENTIFICATION DATA/INI	FORMATION			
RANGE NAME:	Naval Air Warfare (Center Weapons	Division, China Lake	
SERVICE AFFILIATION:	Navy			
RANGE ADDRESS:	Code: 522420D China Lake, CA 93555			
RANGE POINT-OF-CONTACT	Larry Galvin			
(POC) NAME:				
POC PHONE NUMBER:	(760) 939-5294 DS	SN: 437-5294		
POC FAX NUMBER:	(760) 939-5324			
POC E-MAIL ADDRESS:				
RANGE GPS TSPI EQUIPMENT INVI	NTORY	the second secon		
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY	
ARDS LRIP Pod (2 with flash memory)	IEC	AN/ARQ-	. 5	
,,		52A(V)2		
ARDS FSED Pod (2 with flash	IEC	FSED	9	
memory)				
ARDS FRP Pod	Metric	AN/ARQ-	23	
		52B(V)2		
ARDS LRIP Plate	IEC	AN/ARQ-	1	
		52(V)8		
ARDS FRP Plate	Metric	AN/ARQ-	6	
		52B(V)8		
ARDS FRP Plate w/o DLT	Metric	FRP	2	
ARDS FRP DLT Plate	Metric	FRP	21	
ARDS LRIP M/RGS	IEC	LRIP	12	
ARDS FRP M/RGS (standard)	Metric	FRP	4	
ARDS FRP M/RGS (Rubidium)	Metric	FRP	2	
ARDS FSED DLS	IEC	FSED	1	
ARDS LRIP DLS	IEC	LRIP	1	
ARDS FRP DLGS	Metric	FRP	2	
CACR & SPC	NAVSTAR	CACR & SPC	15	
PLGR	Rockwell	AN/PSN-11	5	
PLGR+	Rockwell	AN/PSN-11, (V) 1	10	
ARDS LRIP Control Display Unit (CDU)	Husky Computers, Ltd		6	
ARDS FRP Control Display Unit	Metric	FC486	4	
(CDU)				
BPA Tester	IEC	LRIP	1	
Data Retrieval Unit	IEC	GRID	3	
Date Items of the Care		7518000	•	
Reference Receiver Processor	IEC	7514200	2	
Reference Receiver	Metric	FRP	2	
Generic Range Interface Module	IEC	1 LRIP & 1	2	
(GRIM)		FSED	<u> </u>	
Software Burn-in Station	Metric	FRP	2	
Software Burn-in Station	IEC	LRIP	1	
Power Interface Unit	Metric	FRP	2	

NAVAL AIR WARFARE CENTER WEAPONS DIVISION CHINA LAKE, CA (continued)

RANGE IDENTIFICATION DATA/INI	FORMATION		
RANGE NAME:	Naval Air Warfare (Center Weapons	s Division (Simulation Lab)
SERVICE AFFILIATION:	Navy		
RANGE ADDRESS:	Code: 471120D Chi	na Lake, CA 93	3555
RANGE POINT-OF-CONTACT	Ronald Brigham		
(POC) NAME:			
POC PHONE NUMBER:	(760) 939-1441 DS	SN: 437-1441	
POC FAX NUMBER:			
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INVI	NTORY		the real party of the second
HARDWARE EQUIPMENT (common	VENDOR	MODEL	QUANTITY
name)	Light Control of the	NUMBER	Applications of the Control of the C
Reference Receiver (12 Ch)	Trimble		1
Reference Receiver (3 S)	Rockwell	3S	1
Reference Receiver (12 Ch)	Allen Osborne	SNR 12	1
	Asso.		
MAGR	Rockwell-Collins		1
EGI	Litton	LN200	1
Euronav	Magnavox		. 1
Survey Receiver	Ashtech		2
TANS	Trimble		4
PLGR	Rockwell		3
Promark 10, 5 & 5000D	Magellan		6
Receiver	Garmin		1
Satellite Simulator (12 Ch)	Stanford Telecom	7200	1
Satellite Simulator (24 Ch)	IEC		1
Jammer Suite	In-House		1

RANGE NAME:	Naval Air Warfare	Center Weapons Div	ision, China Lake
SERVICE AFFILIATION:	Navy		
RANGE ADDRESS:	Code: 524500D Ch	nina Lake, CA 93555	
RANGE POINT-OF-CONTACT	Ken Davis		
(POC) NAME:			
POC PHONE NUMBER:	(760) 939-6768 I	SN: 437-6768	
POC FAX NUMBER:			
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INV	ENTORY		
HARDWARE EQUIPMENT (common name)		MODEL NUMBER	QUANTITY
GPS Programmable Time System	Datum Inc, Timing Divsion	9701-01-5	10

NAVAL UNDERSEA WARFARE CENTER ATLANTIC UNDERSEA TEST AND EVALUATON CENTER (AUTEC) WEST PALM BEACH, FL

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	Atlantic Undersea Test and Evaluation Center (AUTEC)		
SERVICE AFFILIATION:	Navy		
RANGE ADDRESS:	801 Clemantis Street / Co	de 3814 West Pal	m Beach, FL
RANGE POINT-OF-CONTACT (POC) NAME:	Jeff Byrne		
POC PHONE NUMBER:	(561) 832-8566 x7349		
POC FAX NUMBER:	(561) 832-8590		
POC E-MAIL ADDRESS:	byrne@wpb.nuwc.navy.n	nil	
	·		
RANGE GPS TSPI EQUIPMENT INVENTORY			in James 1941
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL	QUANTITY
The state of the s	Elifer and the Hall of the	NUMBER	A CONTRACTOR
DGPS Reference Locator (Base Station)	Trimble	4000RL	1
Course Acquisition Code Receiver (CACR)	NAVSTAR	CACR	25
Dual Mode Base Station (DMBS)	NAVSTAR	DMBS	2
DGPS Receiver	Magnavox	MX-200	10
DGPS Receiver	Magnavox	MX-300	2
Enhanced Precision Light-weight GPS Receiver (EPLGR)	Rockwell	EPLGR	8
Precision Light-weight GPS Receiver (PLGR)	Rockwell	PLGR	2
Differential Correction Receiver	Accapoint		2
Differential Correction Receiver	Differential Corrections Inc		1
Differential Correction Beacon Receiver	Magnavox	MX-50R	1

NAVAL AIR WARFARE CENTER WEAPONS DIVISION (NAWCWD (PM)) POINT MUGU, CA

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	Naval Air Warfare Center Weapons Division, Pt. Mugu		
SERVICE AFFILIATION:	Navy		
RANGE ADDRESS:	521 9th Street, Pt. Mu	ıgu, CA 93042-5001	
RANGE POINT-OF-CONTACT (POC) NAME:	Ron Smith / Code: 52		
POC PHONE NUMBER:	(805) 989-8148 DSN		
POC FAX NUMBER:	(805) 989-5210		
POC E-MAIL ADDRESS:			
			· ·
RANGE GPS TSPI EQUIPMENT INVENTORY	A		0.7.1.1.1777777
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY
ARDS LRIP Pod	IEC	CACR	249
ARDS FRP Pod	Metric	AN/ARQ-52B(V)2	
ARDS LRIP Plate	IEC	AN/ARQ-52(V)8	2
ARDS FRP Plate	Metric	AN/ARQ-52B(V)8	1
LRIP HDIS RR/P	IEC	AN/GRQ-28B	4
EATS Pod	IEC	AN/ARQ-52(V)	8
EATS Plate	IEC	AN/ARQ-52(V)12	7
EATS Pod	Metric	AN/ARQ-52B(V)1	8
EATS Plate	Metric	AN/ARQ-2B(V)12	1
CACR/SPC	NAVSTAR	CACR/SPC	25
PLGR+	Rockwell	PLGR+	5
5000 D	Magellan	5000 D	1
AOA Refr Rcvr	Allen Osborne Assoc	ciates	1
Z-12 Refr Rcvr	Ashtech	Z-12	3

NAVAL AIR WARFARE CENTER AIRCRAFT DIVISION (NAWCAD (PR)) PATUXENT RIVER, MD

Naval Air Warfare Center Aircraft Division, Patuxent River			
Navy			
Patuxent River, MD			
Ken Clarke or Dunc	an Selph		
	N 342-1206		
(301) 342-1190			
VENDOR	MODEL NUMBER	QUANTITY	
IEC	AN/ARQ-52A(V)2	8 .	
Metric	AN/ARQ-52B(V)2	16	
IEC	AN/ARQ-52(V)8	5	
Metric		8	
NAVSTAR	CACR/SPC	25	
Rockwell	PLGR+	5	
IEC	AN/GRQ-28B	2	
Ashtech	Z-12	2	
Millins	LRIP	3	
IEC	LRIP	-1	
Metric	FRP	1	
	River Navy Patuxent River, MD Ken Clarke or Dunc (301) 342-1206/DS (301) 342-1190 VENDOR IEC Metric IEC Metric NAVSTAR Rockwell IEC Ashtech Millins IEC	River Navy Patuxent River, MD Ken Clarke or Duncan Selph (301) 342-1206/DSN 342-1206 (301) 342-1190 VENDOR MODEL NUMBER IEC AN/ARQ-52A(V)2 Metric AN/ARQ-52B(V)2 IEC AN/ARQ-52B(V)8 Metric AN/ARQ-52B(V)8 NAVSTAR CACR/SPC Rockwell PLGR+ IEC AN/GRQ-28B Ashtech Z-12 Millins LRIP IEC LRIP	

ABERDEEN TEST CENTER (ATC) ABERDEEN PROVING GROUND, MD

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	E NAME: Aberdeen Proving		
	Ground		
SERVICE AFFILIATION:	Army		
RANGE ADDRESS:	STEAC-TE-I, Bld 21005-5059	g 350, APG, MD	
RANGE POINT-OF-CONTACT (POC) NAME:	Mike Shellem		
POC PHONE NUMBER:	DSN 298-9489		
POC FAX NUMBER:	DSN 298-4116		
POC E-MAIL ADDRESS:	mshellem@atc.army.mil		
RANGE GPS TSPI EQUIPMENT INVENTORY		M. Jan.	
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY
Sensor II GPS Receiver	Ashtech	Sensor II	6
G-12 GPS Receiver	Ashtech	G-12	24
Z-12 GPS Receiver	Ashtech	Z-12	4
Trimble 4000ST GPS Receiver	Trimble	4000ST	4
Trimble 4000RL GPS Receiver	Trimble	4000RL	1
Trimble Site Surveyor SSI GPS Receiver	Trimble	4000SSI	4
Trimble Site Surveyor SSE GPS Receiver	Trimble	4000SSE	1
Rockwell Micro Tracker LP GPS Receiver	Rockwell International	Micro Tracker LP	6
Trimble 7400 MSI GPS Receiver	Trimble	7400 MSI	2
Trimble Geo Explorer	Trimble	Explorer	2
1	Magellan	5000	1

ELECTRONIC PROVING GROUND (EPG) FORT HUACHUCA, AZ

RANGE IDENTIFICATION DATA/INFORMATION				
RANGE NAME:	Electronic Proving Ground			
SERVICE AFFILIATION:	Army			
RANGE ADDRESS:	Ft. Huachuca, AZ			
RANGE POINT-OF-CONTACT (POC) NAME:	Jack Underwood			
POC PHONE NUMBER:	DSN 821-8087			
POC FAX NUMBER:	DSN 821-8018			
POC E-MAIL ADDRESS:	underwoj@epg.army.mil			
RANGE GPS TSPI EQUIPMENT INVENTORY		- 4 - 1		
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY	
PLM	IEC	PLM	1	
PLM5	IEC	PLM5	8	
PLM5M	IEC	PLM5M	9	
GT LO PWR	STEL	GT	2	
ARDS FRP Plate	Metric	AN/ARQ- 52B(V)8	4	
ARDS FRP M/RGS (Rubidium)	Metric	FRP	1	
ARDS FRP RR	Metric	FRP	1	
ARDS FRP Control Display Unit (CDU)	Metric	FC486	1	

TEST & EXPERIMENTATION COMMAND TEST & EVALUATION SUPPORT ACTIVITY (TEXCOM TESA) FORT HOOD, TX

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	Test and Experimentation Command (HQ TEXCOM)		
SERVICE AFFILIATION:	Army		
RANGE ADDRESS:	Fort Hood, TX 7654	4-5068	
RANGE POINT-OF-CONTACT (POC) NAME:	Flip Harvey		
POC PHONE NUMBER:	(254) 288-1938		
POC FAX NUMBER:	(254) 288-1649		
POC E-MAIL ADDRESS:	harveyrobert@texco	m-mail.army.mil	
RANGE GPS TSPI EQUIPMENT INVENTORY			18 A
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY
Coarse Acquisition Code Receiver (CACR)	NavSymm	CACR	249
Dual Mode Base Station (DMBS) Refr Recr	NavSymm	DMBS	9
Precise Lightweight GPS Receiver (PLGR)	Rockwell	PLGR	34
Xybion	Xybion	Xybion	53
Trimble Advanced Navigation Sensor (TANS) Vector	Trimble	TANS Vector	9
Scout	Trimble	Scout	12
PVT-6	Motorola	PVT-6	51
Z-12 Refr Rcvr	Ashtech	Z-12	3
Datachron	Datachron	3650	3
Truetime	Truetime	468	2
Truetime	Truetime	50	2
Truetime	Truetime	XL-DC	2

WHITE SANDS MISSILE RANGE (WSMR) WHITE SANDS MISSILE RANGE, NM

RANGE IDENTIFICATION DATA/INF	ORMATION
RANGE NAME:	WSMR
SERVICE AFFILIATION:	ARMY
RANGE ADDRESS:	White Sands Missile Range, NM 88002
RANGE POINT-OF-CONTACT (POC)	L. Garcia
NAME:	
POC PHONE NUMBER:	(505) 678-1025 DSN 258
POC FAX NUMBER:	(505) 678-0237 DSN 258
POC E-MAIL ADDRESS:	lgarcia@tecnet1.jcte.jcs.mil

RANGE GPS TSPI EQUIPMENT INV	ENTORY		
HARDWARE EQUIPMENT (common name)		MODEL NUMBER	QUANTITY
ARDS LRIP Pod	IEC	AN/ARQ-52A(V)2	9
ARDS FRP Pod	Metric	AN/ARQ-52B(V)2	14
ARDS FRP Plate	Metric	AN/ARQ-52B(V)8	6
ARDS FRP Plate w/o DLT	Metric	FRP	10
ARDS FRP DLT Plate	Metric	FRP	15
ARDS FRP DLT	Metric	FRP	2
ARDS FRP DLGS	Metric	FRP	2
ARDS FRP M/RGS (Rubidium)	Metric	FRP	4
ARDS FRP Reference Receiver	Metric	FRP	1
ARDS FRP HDIS Receiver Test Set	Metric	FRP	5
ARDS FRP Control Display Unit (CDU)	Metric	FC486	2
Software Burn-in Station	Metric	FRP	5
ARDS FRP GPS Antenna Test Box	Metric	FRP	5
ARDS FRP Battery Power Assembly Tester	Metric	FRP	5
Power Interface Unit	Metric	FRP	5
ARDS FRP Antenna Shroud	Metric	FRP	5
CACR	NAVSTAR		Approx#195
LRIP HDIS RR/P	IEC	AN/GRQ-28B	7
Serial to Parallel Converter (SPC)	NAVSTAR		50
Ground Stations (MRGS)			4
Rack Mounted Pentium			2
Monitor's	Tatung		2
Digital Vax 4000-200 (DLS)			1
Monitor	VT340		. 1
Digital TSZ07 Tape Deck		MUB0,MUB1	2
Monitor	SGI Indigo		1
Monitor, CTX			1
Pentium Pro	Texas Micro		1
Monitor, Sony Triniton	Sony		1
KGR-68	Microconn Corp		2
Fiber Optic Bus Interface 4020	Canoqa Parking		2
ASYNC Router V.34, Black Box			1
HP Laserjet			1

WSMR (continued)

HARDWARE EQUIPMENT (common	VENDOR	MODEL NUMBER	QUANTITY
name)			
Smart UPS 2200			3
Cisco 2500 Router			2
HP Bridge RB			2
Connect FT1 DSU/CSU			2
T-1 ESF CSU/DSU Cray DCP3552			1
DLC Vax 4 (Spare)		: : : : : : : : : : : : : : : : : : :	1
Pentium bu V-Tron			11
Asante ponc Hub/6			11
Addtron/4 Hub			1
Monitor SGI			1
Vax 4000-200, DLS			1
IBM Gearbox	IBM	800	1
IBM 486	IBM		1
GPS Reference Receiver			1
Smart UPS 2100			1
Rec VT420 Monitor			1
Visual 220 Monitor			1
BSI 486 Rackmount			1 .
Kentrox, 77101-SIU			7
Kentrox, 77120-L2			12
Coastlown, FDLP			10
Coastlown, o-1 LIU			10
Coastlown, TI-2 LIU			10
Coastlown, CCU			10
Coastlown, STB			10
Coastlown, 4WE&M			10
Coastlown, SDCU			10
Coastlown, ADCU			11
Coastlown, PS48			10
Coastlown, CSU1F			10
Husky CDU			10
Lockheld Speaker phones intercom		FA-BA-JA-JA-001	1
Monitor Oec, VT320		FA-BA-JA-JA-001	1
GPS IEC Antenna Assembly			
			1
S61 Onyx Transceiver			1
			1
Antenna Assy			1
Capacitor, Fixed			1
Fan, Saucer			1
Suppressor, V Filter			1
			1
Switch, toggle			1
Circuit Breaker		,	1
Lamp, Cartridge			1
Circuit Breaker			1
Meter			2
Lamp, Cartridge			5
Light, Indicator			5
Switch, Toggle			1
Filter			1
Power Supply			1
Bias Tee Assy			1

WSMR (continued)

HARDWARE EQUIPMENT (common	VENDOR	MODEL NUMBER	QUANTITY
name)			
Circuit Breaker			. 1
Backplane Assy			1
Rcvr Btry Pack			1
Battery Unit			3
Gasket, Conn			10
Gasket, EMI			10
CCA, BTRY PWR			1
RFDC MDL ASSY			1
Turbo Control			1
Input/Output			1
Oscillator			· 1
Ant, Airborne			. 1
Diode			1
Preamplifier Preamplifier			2
GPS Antenna			1
Umbilical Assy			1
Diode, LED			2
INRTL REF UNIT			1
Power Supply			1
Transceiver			1
Converter, AC/DC			1
EMI, Seal, O-Ring			10
Input/Output # 2			1
Gasket, EMI			10
Gasketing Matl			10
Gasketing Mati			10
Gasketing Matl			10
O-Ring			10
Rigid/Flex Assy			1
Switch			1
Meter, T Totlz			i
Switch, RF			2
Exp Mod Frame			2
CCA, XMTR			1
	•		1
Panel Assy KIU P/S			1
			1
CCA, Receiver CCA, Interface			1
Switch, Toggle			1
Switch Switch			1
			1
Meter, T Totlz Filter			1
Resistor, Fixed			1
			1
Resistor Corlection Moth	 		5
Gasketing Matl	-		1
Oscillator Assy	1		1 1
Rubidium STD			
Switch, Coaxial		 	1
Relay		4	1
Bias Tee			1

WSMR (continued)

HARDWARE EQUIPMENT (common	VENDOR	MODEL NUMBER	QUANTITY
name)	A STATE STATE	As a substitute of the substit	
TDARDS-Participant Instrumentation Pac	kage (PIP)		10
AIM-9 Pod			3
MQ-107 Drone Plate			3
PC Computer			3
Novatel Rwf Receiver			3
Motorola Rnet Modem Transceiver			3

YUMA PROVING GROUND (YPG) YUMA, AZ

RANGE IDENTIFICATION DATA/INFORMATION				
RANGE NAME:	Yuma Proving Ground (YPG)			
SERVICE AFFILIATION:	Army			
RANGE ADDRESS:	YPG, Yuma, AZ 85365			
RANGE POINT-OF-CONTACT (POC) NAME:	Greg Beaubier			
POC PHONE NUMBER:	(520) 328-6160 DSN: 89			
POC FAX NUMBER:	(520) 328-6233 DSN: 89			
POC E-MAIL ADDRESS:	greg.beaubier@yuma-exc	h1.army.mil		
RANGE GPS TSPI EQUIPMENT INVENTORY		N. P. Carlotte	in the second	
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTIT Y	
LRIP HDIS RR/P	IEC	LRIP	1	
FRP HDIS RR/P	Metric	FRP	1	
ARDS LRIP Plate	IEC	AN/ARQ-52(V)8	2	
ARDS FRP Plate	Metric	AN/ARQ-2B(V)8	4	
ARDS FRP DLT Plate	Metric	FRP	5	
ARDS FRP DLGS	Metric	FRP	1	
ARDS FRP M/RGS (Rubidium)	Metric	FRP	1	
ARDS FRP Reference Receiver	Metric	FRP	1	
ARDS FRP Control Display Unit (CDU)	Metric	FC486	5	
CACR/SPC	NAVSTAR		2	
PLGR+	Rockwell		5	
AOA Refr Rcvr	Allen Osborne Associates		1	
Z-12 Refr Rcvr	Ashtech	Z-12	3	
	Leica	SR9500	2	
	Trimble	4000 SSI	4	
Vehicle Tracking System (VTS)	Trimble		1	
	Trimble	Trimpack	1	
	Trimble	Scout	2	
	Trimble	Pathfinder	3	

KWAJALEIN MISSILE RANGE (KMR)

RANGE IDENTIFICATION DATA/INFORMATION			
RANGE NAME:	Kwajalein Missile Ra	nge	
SERVICE AFFILIATION:	Army		
RANGE ADDRESS:			
RANGE POINT-OF-CONTACT (POC) NAME:			
POC PHONE NUMBER:			
POC FAX NUMBER:	·		
POC E-MAIL ADDRESS:			
RANGE GPS TSPI EQUIPMENT INVENTORY		ilia di Languagia	
HARDWARE EQUIPMENT (common name)	VENDOR	MODEL NUMBER	QUANTITY
	Ashtech		2
Timing Receiver	Datum	9390-5036	5
Timing Receiver		9390-55164	14
Timing Receiver		9390-5540	13
BMT	IEC	Translators	2
TPS (SVT)	IEC	Translators	2
HI PWR	STEL	GT	9

RANGE SOFTWARE LISTING

USER MANUALS (Sream)	NO Yes	# 1	USBR MANUALS (yes/no)				USER MANDALS (yearno)							Yes		USER MANUALS (yœ/no)	
DATA FORMAT SUPPORTED	ADOCS SLIP		DATA FORMAT SUPPORTED				DATA FORMAT SUPPORTED	Z-12/ZY-12			Multi-sensors PLGR/Palmtop			Eagle Explorer and other receivers		DATA FORMAT SUPPORTED	
GPS EQUIPMENT SUPPORTED			GPS EQUIPMENT SUPPORTED	CDO	RRP		GPS EQUIPMENT SUPPORTED	1-2		SIQH	Mul			Eagle Explore		GPS EQUIPMENT SUPPORTED	
AVAILABILITY (of software) (or others)	Now Now		AVALLABILITY (of software documentation to others)			Si	AVAILABILITY (of softward documentation to others)	Now	Now	Now	Now	Now	Now	Now		AVAILABILITY (of software) to others)	
VENDOR (If commercial product)	N/A Ashtech		VENDOR (If commercial product)	data files		GPS Data Analysis	VENDOR (If commercial product)	Ashtech	Ashtech	TASC	CSC	CSC	CSC	NAVTECH or LEI Accessories		VENDOR (If commercial product)	
GOVT OR COMMERCIAL PRODUCT (GC)	Government		GOVT-OR COMMERCIAL PRODUCT (G-C)	Allows us to break up large SSR data files			GOVT OR COMMERCIAL PRODUCT (G/C)	Commercial	Commercial					Commercial		GOVT OR COMMERCIAL PRODUCT (G/C)	
LICENSE REQUIRED (yes'm)	No Yes		NSE IRBD (no)	. I I			LICENSE REQUIRED (yes/no)	alysis Software						Yes		LICENSE REQUIRED (yes/no)	
BRIEF DESCRIPTION OF SOFTWARE (equivalence)	15 Player Vehicles tracking, realtime display and data logging Facilities accuracy resting of Ashtech	Sensor II and G-12 GPS Receivers	BRIER DESCRIPTION OF SOFTWARE (capabilities)	Used to Operate DLC/I			BRIBE, DESCRIPTION OF SOFTWARE (capabilites)	Z12 GPS Receiver Analysis Software						Used to upload/download data collected with GPS receivers		BRIEF DBSCRIPTION OF SOFTWARE (capabilities):	
DESCRIPTION OF HARDWARB (Platform requirements)	Window NT, 100 MHz Pentium with ADOCS on vehicles Windows 95, 486/66 MHz	Controcat	DESCRIPTION OF HARDWARE (platform requirements)			Comment	** DESCRIPTION*** OF HARDWARE (platform requirements)							IBM PC	Comment	DESCRIPTION OF HARDWARE (platform requirements)	
SOFTWARE LANGUAGE	C Executable Only		SOFTWARE				SOFTWARE LANGUAGE				Postflight Data Reduction		200	Executable Only		SOFTWARE	
SOFTWARETYPE (display, data reduction, analysis, ctc.)	Vehicle tracking with display based on Ashtech Sensor II and ADOCS Data display and analysis	POCS: Phone # * E. f	SOFT WARE TYPE (display, data reduction, analysis, etc.)	ARDS ACP Software PP	RAJPO RR/P Software	POC & Plone #5% ()	WARE TYPE data reduction. alysis, etc.)	Analysis		Analysis	1 1	Data Collection	Data Collection	Upload/Download Data	PC& S. Protection 1	SOFT WARE TYPE (display, data reduction, malyais, etc.)	
SOFTWARE (common name)	WAM Multi-Player Data Acquisition System Ashtech "Evaluate" Ver 3.0		SOFTWARE (connion name)	ARDS AC File Chop	RAJPO RI		SOFTWARE contribution transci	PNAV	GPSCADD	GATR	MOSES 6.0	GPS.exe	PREP F16.exe	v		SOFTWARE (continuos name).	
Solver PRO	APG	Software POCANamo	KANGE	Eglin AFB Eglin AFB	Eglin AFB	Software Pot a Nati	KANGE	Edwards AFB	Edwards AFB	Edwards AFB	Edwards AFB	Edwards AFB	Edwards AFB	Edwards AFB	ema Navadenska	RANGE	Cultura

Soft Care of Care	0	P. S. S. Wilding St.										
Ken Burton		DSN: 437-5066					Ranges AF	Ranges ARDS Data Analysis Tools	is Tools		ŀ	
RANGE	Common name)	SOFTWARE TYPB (*) (display, data reduction, ranalysis, etc.)	SOFTWARE LANGIAGE	**DESCRIPTION OF JANDWARE (Clatform	BRIEFY DESCRIPTION OF SOFTWARE (capabilities)	LICENSH REQUIRED (Yes/no)	GOVT OR COMMERCIAL PRODUCT (G/C)	VENDOR Of commercial a product)	AVAILABILITY (of software) documentation to others).	GPS EQUIPMENT SUPPORTED	DATA FORMAT SUPPORTED	USER MANUALS
China Lake		Data reduction	++2	HP running UNIX	Converts ARDS format data to TDOP input format	۶ گ	O		Available		ARDS	yes
China Lake	Rddip	Data reduction	FORTRAN	PCs supporting DOS	Converts ARDS format data to TDOP input format	S Z	Ü			,	ARDS	по
China Lake	Rdjpo	Data reduction	FORTRAN		Converts JPO format data to TDOP input format	S _N	D.				ЉО	Ou .
China Lake	TDOP	Data Analysis	FORTRAN	PCs supporting DOS; HPs running UNIX	Compute Method 3 solution. Merge TSPI from multiple sources.	o _N	Ð	BSEO		Receivers and IMU/INS	TDOP Standard (sendata file)	yes
China Lake	GATR	Data Analysis		PCs running Windows 3.1, 95 or NT	Quiek look at GPS data; quality evaluation; allows extraction of plot data into tabular lists.	°Z	ပ		Available		DLS, EATS, GRDCUS, CACR, NMEA, Rockwell	no
China Lake	CAPS	Data reduction	Visual BASIC	PCs running Windows 3.1, 95 or NT	System extracts data from multiple formats and creates outputs in multiple formats.	o _Z	5		Available	ARDS DLP, SSR, ARDS, Novatel Novatel	ARDS, Novatel	yes
China Lake	DGA	Data reduction	Visual BASIC	PCs running Windows Manages process of converting input GPR Converting input GPR data, running TDOP displaying results, a creating output files.	Manages process of converting input GPS data, running TDOP, displaying results, and creating output files.	Š	[©]	AFDTC (Eglin)	Available	ARDS, NovAtel	ARDS, NovAtel	yes
China Lake	Multiple Data Conversion Utilities	Data reduction	++0		Conversion of ARDS data	Š	b		Available	ARDS	ARDS .	OE .
China Lake	Mplot	Display	FORTRAN	HP running UNIX	Graphic display of tabular data	οN	Ð		Available		Code 525500D standard format	OL .
China Lake	MathCad	Data Analysis		PCs	Mathematical Analysis Program	Yes	C	MathSoft	By purchase			Yes
China Lake	Microsoft Excel	Data Analysis		PCs, Macs	Spreadsheet program	Yes	С	Microsoft	By purchase			yes
China Lake	PLGR Software	PLGR Control Software		PC's, 16 Meg RAM	Update and Download Data	No	G	N/A	Available	PLGR and Variants	PLGR	Yes
China Lake	MONSYS	Analysis and Display	++0	PC Pentium	Track Display and Message Display	No	Ð	N/A	Available	ARDS	MONSYS, ARDS,GMS	Yes

	VICTO NEARGINAL C.	t =	Yes	S	5	21100				USER MANUALS (yezho)	yes	yes	yes	not at this time	ОП	
		SUPPORTED	Any	Binary Files	ASCI/Excel rules					DATA FORMAT SUPPORTED	DLS, EATS, GRDCUS, CACR	DLS, EATS, GRDCUS, CACR	DLS, EATS, GRDCUS, CACR	DLS, EATS, GRDCUS, CACR	DĽŠ, EATS, GRDCUS, CACR, NMEA, Rockwell	
		GPS EQUIPMENT SUPPORTED	Any	Any	Any	KAJPU, Allen Osborne, JPO suite of equipment				GPS : BOUTPMENT : SUPPORTED	ARDS pods, plates DLS, EATS, GRDCUS, C	ARDS pods, plates DLS, EATS, GRDCUS, CACR	ARDS pods, plates DLS, EATS, GRDCUS, CACR	ARDS pods, plates DLS, EATS, GRDCUS, C	ARDS pods, plates DLS, EATS, CRDCUS, CNMEA, Roc	
		AVAILABILITY (of software/ documentation to enders)	By Purchase	By Purchase	By Purchase	Available	4	Autore	tware	AVAILABILITY (of software) documentation to others)	Developed under contract	Developed under contract	Developed under contract	Developed under contract	Available	
		VENDOR (If commercial product)			Microcal	N/A		A PDC DI C COL	Range ARDS DLS Software	VENDOR (If commorcial product)	IEC	IEC	IEC	EWA	TASK	
		GOVT OR COMMERCIAE PRODUCT (0/C)	2	C	၁	ŋ			Range	GOVT OR COMMERCIAL PRODUCT (G/C)	ပ	၁	ပ	U	S	
		LICENSE: ** (ves/no)	Yes	Yes	Yes	No				LICENSE REQUIRED (ves/no)	Оп	Ou	ou	Ou	OI.	
		BRIEF DESCRIPTION OF SOFTWARE (capabilities)	Mathematical Analysis Program		Plotting with some analysis	Perform post differential corrections and IRU smoothing				BRUEF DESCRIPTION OF SOFTWARE (capabilities)	Provides interface to Host Range Facility, KGR-66, DLC, tape drives, NCP, RR/P, and Ethernet.	Controls time division multiple access protocol used by the DLTs to share the L-band channel.	Interprets and formats messages. Detects duplicate and missed messages.	Monitors Ethemet for GPS specific messages, and displays pertinent message data in real- time.	Used to copy GPS messages from Ethernet to PC disk.	
		** DESCRIPTION **OF HARDWARE (platform *requirements)	PC	PC	PC	PC	Comment	7		DESCRIPTION OF HARDWARE (platform requirements)	VAX 4200-200/VMS ver. 5.5-3	VAX 4200-200/VMS ver. 5.5-3	IBM Gearbox model 800 industrial computer	IBM Compatible Pentium	IBM Compatible PC	
	437-1441	SOFTWARE LANGUAGE				Fortran		4		SOFTWARE LANGUAGE	FORTRAN	FORTRAIN	ASM86	C/C++		
BOCK ALMANDER AND AND ALMANDER AND AND ALMANDER AND AND ALMANDER AND A	(760) 939-1441 DSN: 437-1441	SOFTWARE LYPE (display, data reduction, analysis, etc.)	Data Analysis	Data Analysis	Plotting and Analysis	Data Reduction	POCS Phane # :		DSN: 437-1395	SOFTWARE TYPE (display, data reduction, analysis, etc.)	Operations	Operations	Operations	Display	Operations	
	471120D	(common warre)	Mathmatica	Mathlab	Origin	MÖSES	-Apon soos			COMMON NAME (COMMON NAME)	Data Link Processor	Data Link Controller	Message Processor	MONSYS / GMS	Translator	
To the second se	Ronald Brigham	RANGE	China Lake	China Lake	China Lake	China Lake	Software PQC 5	Name	Dieter Weik		China Lake	China Lake	China Lake	China Lake	China Lake	

Some and a solid	2000000	Comment of the Commen										
Dieter Weik	522420D	DSN: 437-1395					Rang	Range ARDS Firmware	re	H		
KANGE	SOFTWARE (corretion name)	SOFTWARE TYPE. (display, data reduction, analysis, etc.)	SOFTWARE - LANGUAGE	DESCRIPTION © OF HARDWARE (platform) requirements)	BRIEF DESCRIPTION OF A SOFTWARE (capabilitie)	REQUIRED (VEVIO)	PRODUCT (G/C)	VENDOR (If commercial product):	AVAILABILITY (of software/documentation to others)	GPS BQUIPMENT SUPPORTED	DATA FORMAT SUPPORTED.	USER MANUALS (yez/no)
China Lake	CNP.EXE	Embedded s/w	Assembly	TCNP CCA	Executable for HDIS Control Navigation Processor	Ou	o	IEC	contract		EATS, ARDS, GRDCUS	Ou Ou
China Lake	DLOAD.EXE	Embedded s/w	Assembly	MicroVAX	Used to download new versions of executables	Ou	C				EATS, ARDS, GRDCUS	ou Ou
China Lake	EEXEC_20.EXE	Embedded s/w	Assembly	TCNP CCA	Used to download new versions of executables	Q.	ပ				EATS, ARDS, GRDCUS	2
China Lake	EXEC_20.EXE	Embedded s/w	Assembly	TCNP CCA	Used to download new versions of executables	OL .	ပ		contract		EATS, ARDS, GRDCUS	2
China Lake	FSSRR.IMG	Embedded s/w	Assembly		Firmware for Flash Memory Module Assembly	Ou .	U	IEC	contract		EATS, ARDS, GRDCUS	2
China Lake	RFMIE.X	Embedded s/w	Assembly	IOP 2 CCA	Executable for IOP2 CCA	Ou	υ	IBC	contract		EATS, ARDS, GRDCUS	ОП
China Lake	ткло.х	Embedded s/w	Assembly	TKIO CCA	Executable for TKIO CCA	Ou	U	IEC	contract	HDIS receiver	EÁTS, ARDS, GRDCUS	οu
Software POCs	POCE Code	POCs Phone # 11		Contractit file.	2		***************************************		7		*	
Eric Senour	\$25220E	(805) 989-4796 DSN: 437-1395	4: 437-1395					Data Analysis				
KANGE	SOFTWARE (common name)	SOFTWARE TYPE (display, data reduction, analysis, e.g.)	SOFTWARE LANGUAGE	DESCRIPTION OF HARDWARE (platforn requirements)	BRIEF DESCRIPTION OF SOFTWARE ** (capabilities)	LICENSE REQUIRED (yes/no)	GOVT OR COMMERCIAL PRODUCT (G/C)	VENDOR (If commercial product)	AVAILABILITY (of software/documentation to others)	GPS EQUIPMENT SUPPORTED	Sarpor a state of the same	USER MANUALS (yes/no)
Point Mugu	GATR	Data Analysis		PCs running Windows 3.1, 95 or NT		^Q	O	TASK	Available		DLS, EATS, GRDCUS, CACR, NMEA, Rockwell	ОП
Point Mugu	Microsoft Excel	Data Analysis		PCs, Macs	Spreadsheet program	Yes	၁	Microsoft	By purchase			yes
Point Mugu	PLGR Software	PLGR Control Software		g RAM	Update and Download Data	No	Ð	N/A		PLGR and Variants	PLGR	Yes
Point Mugu	MONSYS	Analysis and Display	++2	PC Pentium	Track Display and Message Display	No	Ð	N/A	Available	ARDS	MONSYS, ARDS,GMS	Yes
Point Mugu												
Point Mugu	Orígin	Plotting and Analysis		PC	Plotting with some analysis	Yes	C	Microcal	1Se	Any	ASCI/Excel Files	Yes
Point Mugu	MOSES	Data Reduction	Fortran	PC	Perform post differential corrections and IRU smoothing	O.Z.	Ð	N/A	Available	RAJPO, Allen Osborne, JPO suite of equipment	RAPO, Allen cosporac, PO suite of equipment	Some
	Standard TSPI Display	Track Display	Fortran	PC	Displays all forms of TSPI Information as tracks. Limited amount of message breakout.	No	G	N/A	Available	RAPO, EATS	ARDS, EATS	Some
										1		

Ken Clarke	525220E	(301) 342-1206 DSN: 342-1206	: 342-1206					Data Analysis				
RANGEL	SOFTWARE (cormon name)	SOFTWARE TYPE" (display, data teduction,	SOFTWARE: LANGUAGE:	DESCRIPTION: OP HARDWARE (platform requirements)	BRIEK *** DESCRUPTION DE SOFTWARE (capabilités)	LICENSE REQUIRED (yes/no):	CONMERCIAL PROBUCT (G/C)	VENDOR	AVAILABILITY (of softward documentation to others)	GPS # 27 EQUIPMENT SUPPORTED	DATA FORMAT	TSBR MANUALS (vex/no)
Pax River	GATR	Data Analysis		PCs running Windows Quick look at GPS 41, 95 or NT evaluation; allows extraction of plot d into tabular lists.	Quick look at GPS data; quality evaluation; allows extraction of plot data into tabular lists.	^o Z	Ð	TASK	Available		DLS, EATS, GRDCUS, CACR, NMEA, Rockwell	Ou
Dec Dines	Microsoft Even	Data Analysis		PCs, Macs	Spreadsheet program	Yes	0	rosoft	By purchase			yes
Pax River	MOSES	-	Fortran		Perform post differential corrections and IRU smoothing	ON.	Ů	N/A	Available	RAPO, Allen RAPO, Allen Osborne, IPO suite Osborne, IPO suite of equipment	RAJPO, Allen Osborne, JPO suite of equipment	Some
Pax River	MATS	Track Display and Data Reduction	2	VME PSOS Operating Sys	VME PSOS Operating Full Realtime Display No Sys	No.	D	N/A	Available	RAJPO, EATS	ARDS, EATS	Some
Pax River	In-House Utilities for ARDS/EATS	Data Reduction	O.	Vin/Win95/WinN	Extracts ARDS/EATS/CACR messages and converts to ASCII files. Customer provides INI format.	S.	5	N/A	Available	ARDS/EATS/CA HDIS formats	HDIS formats	o Z
Pax River	GPS Delta Utility	Plotting Utility	U	PC .	Calculates Delta's between the solution of two pods.	o _N	Ģ	N/A	Availablc	MAGR 3A, LATR, RAJPO Suite, CACR, TANS	Same as Equipment	No
Pax River	IDL Interactive Data Languages	Post Processing Analysis		PC	Geographical Display and Time/History Display	Yes	၁	Research Systems Incor.	By Purchase	RAJPO Suite	ASCI Format	Yes